

## **DOYON CAMP 5 (DC5)**

*(3/2/23)*

DC5 is an arctic grade self-contained housing camp that consist of two mobile main trailered units, each with its own moving generator to keep power while moving. It is equipped with 62 total beds (56 single status rooms, 6 single status rooms with on-suite bathrooms) 6 offices, gym, rec area, and a full kitchen with dining area. The camp also comes with a Utilities complex that houses the main camp power generators and a transformer for Hi-Line hook-up. The specifications for this camp are as follows:

### ***Camp – 1<sup>st</sup> Floor***

- 6 ea. - 1 bed, rooms with closets and desks
- 4 ea. - office areas
- 3 ea. - 1 bed, rooms with private toilet, shower, sink, and desk.
- 1 ea. - coffee/break room
- 1 ea. - locker room
- 3 ea. - single use community bathrooms with toilet, urinal, shower, and sink
- 1 ea. - dining room
- 1 ea. - mechanical room
- 1 ea. - complete kitchen with stove hood fire protection system
- 1 ea. - freezer, cooler, and dry storage area
- 1 ea. - heat, fire detection, and H2S system monitor station

### ***Camp – 2<sup>nd</sup> Floor***

- 22 ea. - 1 bed, rooms with closets and desks
- 4 ea. - 1 bed, rooms with closet, desk, and attached toilet and shower
- 1 ea. - workout room
- 1 ea. - mechanical room
- 7 ea. - single use community bathrooms with toilet, urinal, shower, and sink
- 1 ea. - laundry room with washers, dryers and sink.

- 1 ea. - general storage room
- 1 ea. - supply room

### ***Camp – 3<sup>rd</sup> Floor***

- 28 ea. - 1 bed, rooms with closets and desks
- 1 ea. - general recreation room
- 1 ea. - mechanical room
- 7 ea. - single use community bathrooms with toilet, urinal, shower, and sink
- 1 ea. - dry type sauna


### ***Camp – Trailer Level***

- 2 ea. - 6100 gallon, lined water holding that is double walled and insulated.
- 2 ea. - 6000 gallon, waste water holding tank that is double walled and insulated.

### ***Camp - Utilities Complex***

- 1 ea. - 40 ft x 20 ft, heated building
- 2 ea. - Cat C27, 635 kW Main Power Generator Set
- 1 ea. - John Deer PowerTech E, 78 kW Cold Start Generator Set
- 1 ea. - VTC WEST, 1000 KVA Hi-Line Transformer
- 1 ea. - 3500 gallon, double walled fuel storage tank
- 1 ea. - main electrical distribution panel rated for 1600 amp service.







<p>THIS IS A PROPRIETARY DESIGN OF DOYON DRILLING. REPRODUCTION OR USE OF DESIGN IS PERMISSIBLE ONLY IF AUTHORIZED IN WRITING BY DOYON DRILLING.</p> <p><b>DOYON</b></p>				
PROJECT		DOYON DC5		
TITLE		CAMP LAYOUT LEVEL 1		
DATE	CHECKED BY	APPROVED BY	REV.	
SCALE	DRAWN BY	DWG. NO.	SHT.	
NTS				

DATE	REV. NO.	DWN. BY	APPR. BY	DESCRIPTION



<p>THIS IS A PROPRIETARY DESIGN OF DOYON DRILLING. REPRODUCTION OR USE OF DESIGN IS PERMISSIBLE ONLY IF AUTHORIZED IN WRITING BY DOYON DRILLING.</p> 				
PROJECT DOYON DC5				
TITLE CAMP LAYOUT LEVEL 2				
DATE	CHECKED BY	APPROVED BY	REV.	
SCALE NTS	DRAWN BY	DWG. NO.	SHT.	
DATE	REV. NO.	DWN. BY	APPR. BY	DESCRIPTION



					THIS IS A PROPRIETARY DESIGN OF DOYON DRILLING. REPRODUCTION OR USE OF DESIGN IS PERMISSIBLE ONLY IF AUTHORIZED IN WRITING BY DOYON DRILLING.			
					<b>DOYON</b>			
					PROJECT DOYON DC5			
					TITLE CAMP LAYOUT LEVEL 3			
		DATE		CHECKED BY		APPROVED BY		REV.
		SCALE NTS		DRAWN BY		DWG. NO.		SHT.
DATE	REV. NO.	DWN. BY	APPR. BY	DESCRIPTION				